

*Rely on us.*SM



Varn® Pro-Kleen

Concentrated cleaner/degreaser

Specialist cleaner for all printing applications and press types

Product Features

- Varn® Pro-Kleen is a highly concentrated cleaner/degreaser designed for a wide variety of press room cleaning applications that require an aqueous cleaner with extra detergency and grease dissolving power.
- Varn® Pro-Kleen's excellent cleaning power incorporates anti-reposition and soil suspending agents to ensure a bright finish.
- Varn® Pro-Kleen is economical to use and can be applied manually or with automatic scrubbers.
- Varn® Pro-Kleen should be diluted to strength and can be used for a number of applications ranging from the removal of heavy ink deposits on covers and floors through to light soiling of press frames and general office and paintwork cleaning.
- Varn® Pro-Kleen is non-flammable and non-corrosive to ensure a safe working environment and maximum protection for press machinery.

Advantages of Varn® Pro-Kleen

- Non flammable.
- Non corrosive.
- Removes ink, grease and difficult to remove residues.
- Anti-reposition and soil suspension agents to ensure bright finish.
- Suitable for spray cleaning or with automatic floor scrubbers.
- Excellent cleaning power.



FlintGroup

Varn® Pro-Kleen

Features	Advantages	Benefits
<ul style="list-style-type: none">• Powerful cleaning action.	<ul style="list-style-type: none">• Suitable for removal of heavy ink/soil deposits.	<ul style="list-style-type: none">• User friendly with fast, effective cleaning.
<ul style="list-style-type: none">• Contains soil suspending and grease cutting agents.	<ul style="list-style-type: none">• Deters repositioning of dirt & greasy residues.	<ul style="list-style-type: none">• Bright finish.
<ul style="list-style-type: none">• Suitable for manual and spray or automatic scrubbing machines.	<ul style="list-style-type: none">• Versatile in use.	<ul style="list-style-type: none">• One product for all applications.
<ul style="list-style-type: none">• Non-flammable.	<ul style="list-style-type: none">• Safe storage.	<ul style="list-style-type: none">• Safer working environment.

Product code

KU40-1PKG-#### (final 4 digits relate to pack size).

Pack sizes

1 litre (01AF), 20 litres (01H5), 200 litres (01N1) and 1000 litres (01U0).

Application

Varn® Pro-Kleen may be applied with a clean sponge, cloth brush or sprayer. Allow to remain for a few minutes, wipe away and flush off surface or remove with a clean cloth. Varn® Pro-Kleen should be used diluted down to the optimum concentration by hand or via a dosing system. Varn® Pro-Kleen can be used neat but always test on an inconspicuous area of the surface before applying.

Suggested dilution rates:

- Use at 1:9 dilution for general cleaning.
- Use at 1:2 dilution for heavy duty cleaning.
- Use neat for heavily soiled areas.

May be used with a Varn® water miscible wash for special applications.

Follow relevant Good Manufacturing Practice (GMP) guidelines if used for the production of food packaging.

More products. Streamlined access. Greater results.

Flint Group's Print Media division offers a uniquely powerful combination of products, services and expertise; giving you access to the industry's broadest range of pressroom products.

Inks and Coatings. Pressroom Chemicals. Blankets. Sleeves. Consumables.

Rely on us for consistency, reliability and customer focus. Our aim is to make it easier for you to achieve your business goals. With Flint Group products in your pressroom, you can run your business with confidence and peace of mind.

You are welcome to contact us for further information.

Print Media Europe
Varn House, Brinell Drive,
Northbank Industrial Park, Irlam,
Greater Manchester, M44 5BL, UK.

T +44 (0)161 775 5412
F +44 (0)161 775 5415
printmedia.eu@flintgrp.com
www.flintgrp.com

The aim of our technical documents is to inform and advise our customers. The information provided herein is correct to the best of Flint Group's knowledge. No liability for any errors, facts or opinions is accepted. Customers must satisfy themselves as to the suitability of this product for their application. No responsibility for any loss as a result of any person placing reliance on any material contained herein will be accepted.

Product names followed by ® are trademarks registered by Flint Group (represented by Flint Group US LLC or Flint Group Germany GmbH)